

Docket No.: 33226/367001; SUN040407
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:
John L. Gustafson et al.

Application No.: 10/784,753

Confirmation No.: 2205

Filed: February 23, 2004

Art Unit: 2192

For: METHOD AND APPARATUS FOR
ACCURACY-AWARE ANALYSIS

Examiner: Z. Wei

TRANSMITTAL LETTER

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Enclosed are the following items for filing in connection with the above-referenced Patent Application:

1. Part B Fee(s) Transmittal (1 page); and
2. Amendment under 37 CFR § 1.312 (7 pages)

The Director is hereby authorized to charge any deficiency in the fees filed, asserted to be filed or which should have been filed herewith (or with any paper hereafter filed in

Application No.: 10/784,753

Docket No.: 33226/367001; SUN040407

this application by this firm) to our Deposit Account No. 50-0591, under Order No. 33226/367001; SUN040407.

Dated: September 18, 2008

Respectfully submitted,

By /Robert P. Lord/

Robert P. Lord

Registration No.: 46,479

OSHA · LIANG LLP

1221 McKinney St., Suite 2800

Houston, Texas 77010

(713) 228-8600

(713) 228-8778 (Fax)

Attorney for Applicant